



Eric J. Holcomb Governor Kristina M. Box, MD, FACOG State Health Commissioner

NCPDP Version D.Ø

Telecommunication Payer Sheet

September 2Ø20

Library Reference Number Revision Date: September 2Ø20 Version: 2.4

Payer Sheet - NCPDP Version D.Ø

Address any comments concerning the contents of this manual to:

ISDH HIPAA EDI Team 2 North Meridian Street, Suite 3K Indianapolis, IN 462Ø4

NCPDP is a registered trademark of the © National Council for Prescription Drug Programs, Inc. NCPDP. Version D.Ø and predecessors include proprietary material that is protected under the U.S. Copyright Law, and all rights remain with NCPDP.

Materials in this document have been reproduced with the consent of © National Council for Prescription Drug Programs, Inc. $2\emptyset\emptyset8$ NCPDP

Table of Contents

1. REVISION HISTORY	4
2. NCPDP VERSION D.Ø CLAIM BILLING TEMPLATE	5
2.1 REQUEST CLAIM BILLING PAYER SHEET TEMPLATE	5
2.2 RESPONSE CLAIM BILLING PAYER SHEET TEMPLATE	12
	esponse12
	14
3. NCPDP VERSION D.Ø CLAIM REVERSAL TEMPLATE	17
3.1 REQUEST CLAIM REVERSAL PAYER SHEET TEMPLATE	17
3.2 RESPONSE CLAIM REVERSAL PAYER SHEET TEMPLATE	
3.2.1 Claim Reversal Accepted/Approved Response	19
	20
3.2.3 Claim Payareal Pajacted/Pajacted Passansa	

1. REVISION HISTORY

Document Version Number	Revision Date	Revision Page Number(s)	Reason for Revisions	Revisions Completed By
Version 1.Ø	March 2ØØ7	All	New document	ISDH HIPAA
Version 1.1	May 2ØØ7	9, 18, 28	Added NPI	ISDH HIPAA
Version 1.2	August 2ØØ7	All	Correct phone number	ISDH HIPAA
Version 1.2	August 2ØØ7	9	System rejects	ISDH HIPAA
Version 1.2	August 2ØØ7	13	IOT contact information	ISDH HIPAA
Version 1.2	August 2ØØ7	14	Message format	ISDH HIPAA
Version 1.4	May 2ØØ8	9,18,26,28	NPI update	ISDH HIPAA
Version 1.5	July 2ØØ9	17,21,23	COB clarification	ISDH HIPAA
Version 2.Ø	January 2Ø11	All	Version D.Ø Implementation	ISDH HIPAA
Version 2.1	September 2Ø11	7, 9	COB clarification	ISDH HIPAA
Version 2.2	January 2Ø12	9, 1Ø	COB clarification	ISDH HIPAA
Version 2.3	November 2Ø16	All	Correct phone number and typographical errors	ISDH HIPAA
Version 2.4	September 2Ø2Ø	All	NCPDP field 460-ET	ISDH HIPAA

2. NCPDP VERSION D.Ø CLAIM BILLING TEMPLATE

2.1 REQUEST CLAIM BILLING PAYER SHEET TEMPLATE

** Start of Request Claim Billing (B1) Payer Sheet Template **

GENERAL INFORMATION

Payer Name: ISDH	Date: 12/31/2Ø1Ø			
Plan Name/Group Name: ISDH-ØØ1 CSHCS: Children's Special Health Care Services	BIN: 6361Ø4	PCN: ISDH-ØØ1 (production) ISDH-T (testing)		
Processor:				
Effective as of: 1/1/2Ø12	NCPDP Telecommunication Standard Version/Release #: D.Ø			
NCPDP Data Dictionary Version Date: July 2007	NCPDP External Code List Version Date: June 2Ø1Ø			
Contact/Information Source: 1-8ØØ-475-1355 opt. #5, then opt. #1 or 317-233-1351 opt. #5, then opt. #1				
Certification Testing Window: 1/3/2Ø11 – 9/3Ø/2Ø11 and then on-going for new providers				
Certification Contact Information: 1-8ØØ-475-1355 opt. #5, then opt. #1 or 317-233-1351 opt. #5, then opt. #1				
Provider Relations Help Desk Info: 1-8ØØ-475-1355 opt. #5, then opt #3				
Other versions supported: 5.1 until 12/31/2Ø11				

OTHER TRANSACTIONS SUPPORTED

Payer: Please list each transaction supported with the segments, fields, and pertinent information on each transaction.

Transaction Code	Transaction Name
B1	Billing Request
B2	Billing Reversal

FIELD LEGEND FOR COLUMNS

Payer Usage Column	Value	Explanation	Payer Situation Column
MANDATORY	М	The Field is mandatory for the Segment in the designated Transaction.	No
REQUIRED	R	The Field has been designated with the situation of "Required" for the Segment in the designated Transaction.	No
QUALIFIED REQUIREMENT	RW	"Required when". The situations designated have qualifications for usage ("Required if x", "Not required if y").	Yes

Fields that are not used in the Claim Billing transactions and those that do not have qualified requirements (i.e., not used) for this payer are excluded from the template.

CLAIM BILLING TRANSACTIONS

The following lists the segments and fields in a Claim Billing Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.Ø.*

Transaction Header Segment Questions	Check	Claim Billing If Situational, Payer Situation	
This Segment is always sent	X		
Source of certification IDs required in Software		Assigned by ISDH	
Vendor/Certification ID (11Ø-AK) is Payer Issued	X	Contact EDI Department @	
, , ,		1-8ØØ-475-1355 opt. #5, then opt. #1	

	Transaction Header Segment			Claim Billing
Field #	NCPDP Field Name	Value	Payer	Payer Situation
			Usage	-
1Ø1-A1	BIN NUMBER	6361Ø4	М	BIN for ISDH
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	М	
1Ø3-A3	TRANSACTION CODE	B1	М	Claim Billing
1Ø4-A4	PROCESSOR CONTROL NUMBER	ISDH-T (Testing)	М	Assigned by Indiana Department of Health.
		ISDH-ØØ1 (CSHCS		
		Production)		Different Processor Control Numbers are
		,		used for Testing and Production.

	Transaction Header Segment			Claim Billing
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
1Ø9-A9	TRANSACTION COUNT	1	М	Valid values are '1' through '4'.
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Ø1 = National Provider ID	М	
2Ø1-B1	SERVICE PROVIDER ID		М	National Provider Identifier (NPI)
4Ø1-D1	DATE OF SERVICE		М	
11Ø-AK	SOFTWARE VENDOR/CERTIFICATION ID	Assigned by ISDH	М	Contact EDI Department @ 1-8ØØ-475-1355 opt. #5, then opt. #1

Insurance Segment Questions	Check	Claim Billing If Situational, Payer Situation
This Segment is always sent	X	

	Insurance Segment Segment Identification (111-AM) = "Ø4"			Claim Billing
Field #	NCPDP Field Name	Value	Payer	Payer Situation
			Usage	
3Ø2-C2	CARDHOLDER ID	6-digit Patient ID number	M	Member's ID as shown on card.
		assigned by ISDH program		

Patient Segment Questions	Check	Claim Billing	
		If Situational, Payer Situation	
This Segment is always sent	X		
This Segment is situational			

	Patient Segment Segment Identification (111-AM) = "Ø1"			Claim Billing
Field	NCPDP Field Name	Value	Payer Usage	Payer Situation
3Ø4-C4	DATE OF BIRTH		R	
3Ø5-C5	PATIENT GENDER CODE	All code set values supported	R	
31Ø-CA	PATIENT FIRST NAME		RW	Imp Guide: Required when the patient has a first name. Payer Requirement: Required as all patients are enrolled with a first name.
311-CB	PATIENT LAST NAME		R	

Claim Segment Questions	Check	Claim Billing
		If Situational, Payer Situation
This Segment is always sent	X	
This payer does not support partial fills	X	

	Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Billing
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = Rx Billing	М	CSHCS only accepts Rx billing in Real- Time transactions.
				Supplies (DME claims) must be submitted on an 837.
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		М	
436-E1	PRODUCT/SERVICE ID QUALIFIER	ØØ = Compound Ø3 = National Drug Code (NDC)	М	
4Ø7-D7	PRODUCT/SERVICE ID		М	Enter the 11-digit National Drug Code (NDC) for the drug dispensed; for Compound, this field should be a single digit '0'.
442-E7	QUANTITY DISPENSED		R	
4Ø3-D3	FILL NUMBER		R	
4Ø5-D5	DAYS SUPPLY		R	
4Ø6-D6	COMPOUND CODE	1 = Not a compound 2 = Compound	R	
4Ø8-D8	DISPENSE AS WRITTEN (DAW)/PRODUCT SELECTION CODE	All values supported	R	
414-DE	DATE PRESCRIPTION WRITTEN		R	
415-DF	NUMBER OF REFILLS AUTHORIZED		RW	Imp Guide: Required if necessary for plan benefit administration. Payer Requirement: 1 or more refills have been authorized by physician.
460-ET	QUANTITY PRESCRIBED	Quantity prescribed has to match PA issued units	RW	Imp Guide: ¹ Required when the transmission is for a Schedule II drug as defined in 21 CFR 1308.12 and per CMS-0055-F (Compliance Date 9/21/2020. Refer to the Version D.0 Editorial Document).
				Payer Requirement: PA is required, and Schedule II drug must be related to patient's eligible medical diagnosis.
3Ø8-C8	OTHER COVERAGE CODE	Ø: Not Specified1: No Other Coverage (OC)2: Other Coverage Exists-	RW	Imp Guide: Required, if needed by receiver, to communicate a summation of other coverage information that has been collected from other payers.
		Payment Collected 3: OC Billed-Claim not Covered		Required for Coordination of Benefits. Payer Requirement: Required for COB
		4: OC Exists-payment not collected		processing.
461-EU	PRIOR AUTHORIZATION TYPE CODE	1 = Prior Authorization	RW	Imp Guide: Required if this field could result in different coverage, pricing, or patient financial responsibility.
				Payer Requirement: ISDH follows standard IG

¹ Clarifications that affect the Telecommunication Standard Implementation Guide Version D.0 are cited in the *Telecommunication Version D* and Above Questions, Answers and Editorial Updates.

	Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Billing
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
462-EV	PRIOR AUTHORIZATION NUMBER SUBMITTED		RŴ	Imp Guide: Required if this field could result in different coverage, pricing, or patient financial responsibility. Payer Requirement: 7-digit Prior Authorization # if available.

Pricing Segment Questions	Check	Claim Billing	
		If Situational, Payer Situation	
This Segment is always sent	X		

	Pricing Segment Segment Identification (111-AM) = "11"			Claim Billing
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
4Ø9-D9	INGREDIENT COST SUBMITTED		R	
426-DQ	USUAL AND CUSTOMARY CHARGE		R	Imp Guide: Required if needed per trading partner agreement. Payer Requirement: As payer of last resort,
				ISDH requires to determine payment.
43Ø-DU	GROSS AMOUNT DUE		R	

Coordination of Benefits/Other Payments Segment	Check	Claim Billing
Questions		If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Required only for secondary, tertiary, etc. claims.
Scenario 3 - Other Payer Amount Paid, Other Payer- Patient Responsibility Amount, and Benefit Stage Repetitions Present (Government Programs)	X	ISDH is <u>ALWAYS</u> Payer of last resort according to State Law 41Ø IAC 3.2-5-1(d) <i>Health insurance information and utilization</i> . If a participant has one or more other payers including Medicaid, any claim must be submitted to the primary and/or secondary payer(s) first before submitting to ISDH for reimbursement. ISDH can only accept up to 9 COB Payer information segments. As payer of last resort, we have to verify that all prior payers have been considered based on the information we have on hand as well as information submitted with the Billing Transaction.

	Coordination of Benefits/Other Payments Segment Segment Identification (111-AM) = "Ø5"			Claim Billing Scenario 3 - Other Payer Amount Paid, Other Payer-Patient Responsibility Amount, and Benefit Stage Repetitions Present (Government Programs)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
337-4C	COORDINATION OF BENEFITS/OTHER PAYMENTS COUNT	Maximum count of 9.	M	
338-5C	OTHER PAYER COVERAGE TYPE		М	
339-6C	OTHER PAYER ID QUALIFIER		RW	Imp Guide: Required if Other Payer ID (34Ø-7C) is used. Payer Requirement: ISDH follows standard IG
34Ø-7C	OTHER PAYER ID		RW	Imp Guide: Required if identification of the Other Payer is necessary for claim/encounter adjudication. Payer Requirement: Required if available.

	Coordination of Benefits/Other			Claim Billing
	Payments Segment Segment Identification (111-AM) = "Ø5"			Scenario 3 - Other Payer Amount Paid, Other Payer-Patient Responsibility Amount, and Benefit Stage Repetitions Present (Government Programs)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
443-E8	OTHER PAYER DATE			Imp Guide: Required if identification of the Other Payer Date is necessary for claim/encounter adjudication.
341-HB	OTHER PAYER AMOUNT PAID COUNT	Maximum count of 9.	RW	Payer Requirement: Required if available. Imp Guide: Required if Other Payer Amount
011112		Waxing Godin of o.		Paid Qualifier (342-HC) is used.
342-HC	OTHER PAYER AMOUNT PAID QUALIFIER		RW	Payer Requirement: ISDH follows standard IG Imp Guide: Required if Other Payer Amount Paid (431-DV) is used.
				Payer Requirement: ISDH follows standard IG
431-DV	OTHER PAYER AMOUNT PAID		RW	Imp Guide: Required if other payer has approved payment for some/all of the billing.
				Not used for patient financial responsibility only billing.
				Not used for non-governmental agency programs if Other Payer-Patient Responsibility Amount (352-NQ) is submitted.
				Payer Requirement: Required if Other Payer has approved payment for some or all of the billing.
471-5E	OTHER PAYER REJECT COUNT	Maximum count of 5.	RW	Imp Guide: Required if Other Payer Reject Code (472-6E) is used.
				Payer Requirement: ISDH follows standard IG
472-6E	OTHER PAYER REJECT CODE		RW	Imp Guide: Required when the other payer has denied the payment for the billing, designated with Other Coverage Code (3Ø8-C8) = 3 (Other Coverage Billed – claim not covered). Payer Requirement: When coverage code=3,
				all previous payer(s) have denied the claim.
353-NR	OTHER PAYER-PATIENT RESPONSIBILITY AMOUNT COUNT	Maximum count of 25.	RW	Imp Guide: Required if Other Payer-Patient Responsibility Amount Qualifier (351-NP) is used.
				Payer Requirement: ISDH follows standard IG
351-NP	OTHER PAYER-PATIENT RESPONSIBILITY AMOUNT QUALIFIER	Ø1: Amount Applied to Periodic Deductible	RW	Imp Guide: Required if Other Payer-Patient Responsibility Amount (352-NQ) is used.
		Ø2: Amount Attributed to Product Selection/Brand Drug		Payer Requirement: ISDH follows standard IG For Qualifier Ø6: Should only be used when
				secondary payers (or additional payers) are passing on the Patient Responsibility amount
		Ø3: Amount Attributed to Sales Tax		from the Primary payer.
		Ø4: Amount Exceeding Periodic Benefit Maximum		
		Ø5: Amount of Co-pay		
		Ø6: Patient Pay Amount		

	Coordination of Benefits/Other Payments Segment			Claim Billing
	Segment Identification (111-AM) = "Ø5"			Scenario 3 - Other Payer Amount Paid, Other Payer-Patient Responsibility Amount, and Benefit Stage Repetitions Present (Government Programs)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
		 Ø7: Amount of Coinsurance Ø8: Amount Attributed to Product Selection/Non-Preferred Formulary Selection Ø9: Amount Attributed to Health Plan Assistance Amount 1Ø: Amount Attributed to Provider Network Selection 11: Amount Attributed to Product Selection/Brand Non-Preferred Formulary Selection 12: Amount Attributed to Coverage Gap (137-UP) 13: Amount Attributed to Processor Fee 		
352-NQ	OTHER PAYER-PATIENT RESPONSIBILITY AMOUNT		RW	Imp Guide: Required if necessary for patient financial responsibility only billing. Required if necessary for state/federal/regulatory agency programs. Not used for non-governmental agency programs if Other Payer Amount Paid (431-DV) is submitted. Payer Requirement: ISDH requires if after other payer has made payment or denied and there is still a balance that is the patient responsibility. For Qualifier Ø6: Should only be used when secondary payers (or additional payers) are passing on the Patient Responsibility amount from the Primary payer.

Compound Segment Questions	Check	Claim Billing		
		If Situational, Payer Situation		
This Segment is always sent				
This Segment is situational	X	Required when Compound Code (4Ø6-D6) = 2 (compound).		

	Compound Segment Segment Identification (111-AM) = "1Ø"			Claim Billing
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
45Ø-EF	COMPOUND DOSAGE FORM DESCRIPTION CODE		M	
451-EG	COMPOUND DISPENSING UNIT FORM INDICATOR		M	
447-EC	COMPOUND INGREDIENT COMPONENT COUNT	Maximum 25 ingredients.	M	
488-RE	COMPOUND PRODUCT ID QUALIFIER	Ø3 = National Drug Code (NDC)	M	
489-TE	COMPOUND PRODUCT ID		М	Enter the 11-digit National Drug Code (NDC) for the compound ingredient of the drug dispensed.
448-ED	COMPOUND INGREDIENT QUANTITY		М	

** End of Request Claim Billing (B1) Payer Sheet Template **

2.2 RESPONSE CLAIM BILLING PAYER SHEET TEMPLATE

2.2.1 CLAIM BILLING ACCEPTED/PAID (OR DUPLICATE OF PAID) RESPONSE

** Start of Response Claim Billing (B1) Payer Sheet Template **

GENERAL INFORMATION

Payer Name: ISDH	Date: 12/31/2Ø1Ø	
Plan Name/Group Name: ISDH-ØØ1 CSHCS: Children's Special	BIN: 6361Ø4	PCN: ISDH-ØØ1 (production)
Health Care Services		ISDH-T (testing)

CLAIM BILLING PAID (OR DUPLICATE OF PAID) RESPONSE

The following lists the segments and fields in a Claim Billing Response (Paid or Duplicate of Paid) Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.Ø.*

Response Transaction Header Segment Questions	Check	Claim Billing Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	Х	

	Response Transaction Header Segment			Claim Billing- Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	М	
1Ø3-A3	TRANSACTION CODE	B1	М	
1Ø9-A9	TRANSACTION COUNT	Same value as in request	М	
5Ø1-F1	HEADER RESPONSE STATUS	A = Accepted	М	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	М	
2Ø1-B1	SERVICE PROVIDER ID	Same value as in request	М	
4Ø1-D1	DATE OF SERVICE	Same value as in request	М	

Response Message Header Segment Questions	Check	Claim Billing Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	ISDH will return information that is relevant to the claim.

	Response Message Segment Segment Identification (111-AM) = "2Ø"			Claim Billing- Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
5Ø4-F4	MESSAGE		RW	Imp Guide: Required if text is needed for clarification or detail.
				Payer Requirement: ISDH will return information that is relevant to the claim.

Library Reference Number Revision Date: September 2Ø20 Version: 2.4

Response Status Segment Questions	Check	Claim Billing Accepted/Paid (or Duplicate of Paid) If Situational, Paver Situation
This Segment is always sent	Х	Total and the state of the stat

			Duplicate of Paid)
NCPDP Field Name	Value	Payer Usage	Payer Situation
TRANSACTION RESPONSE STATUS	P=Paid D=Duplicate of Paid	M	
AUTHORIZATION NUMBER		RW	Imp Guide: Required if needed to identify the transaction. Payer Requirement: ISDH will return the System assigned Claim Number for this claim.
HELP DESK PHONE NUMBER QUALIFIER	Ø3 = Processor/PBM	RW	Imp Guide: Required if Help Desk Phone Number (55Ø-8F) is used. Payer Requirement: Will be returned.
HELP DESK PHONE NUMBER	8ØØ4751355	RW	Imp Guide: Required if needed to provide a support telephone number to the receiver. Payer Requirement: Will be returned.
	AUTHORIZATION NUMBER HELP DESK PHONE NUMBER QUALIFIER	D=Duplicate of Paid AUTHORIZATION NUMBER HELP DESK PHONE NUMBER QUALIFIER Ø3 = Processor/PBM	TRANSACTION RESPONSE STATUS P=Paid D=Duplicate of Paid RW HELP DESK PHONE NUMBER QUALIFIER Ø3 = Processor/PBM RW

Response Claim Segment Questions	Check	Claim Billing Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	Х	

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Billing- Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = Rx Billing	М	
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		М	

Response Pricing Segment Questions	Check	Claim Billing Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	

	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing- Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
5Ø5-F5	PATIENT PAY AMOUNT		R	
5Ø6-F6	INGREDIENT COST PAID		R	
566-J5	OTHER PAYER AMOUNT RECOGNIZED		RW	Imp Guide: Required if this value is used to arrive at the final reimbursement. Required if Other Payer Amount Paid (431-DV) is greater than zero (Ø) and Coordination of Benefits/Other Payments Segment is supported. Payer Requirement: Will be returned.
5Ø9-F9	TOTAL AMOUNT PAID		R	

	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing- Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
522-FM	BASIS OF REIMBURSEMENT DETERMINATION	8: Contract Pricing – Price based upon contractual agreement between trading partners	RW	Imp Guide: Required if Ingredient Cost Paid (5Ø6-F6) is greater than zero (Ø). Required if Basis of Cost Determination (432-DN) is submitted on billing. Payer Requirement: Will be returned.

2.2.2 CLAIM BILLING ACCEPTED/REJECTED RESPONSE

CLAIM BILLING ACCEPTED/REJECTED RESPONSE

	OLAIM BILLING AGGLI TED/REGEGTED REGIONGE				
Response Transaction Header Segment Questions Check		Check	Claim Billing Accepted/Rejected		
			If Situational, Payer Situation		
	This Segment is always sent	X			

	Response Transaction Header Segment			Claim Billing Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer	Payer Situation
			Usage	
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B1	М	
1Ø9-A9	TRANSACTION COUNT	Same value as in request	М	
5Ø1-F1	HEADER RESPONSE STATUS	A = Accepted	М	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	М	
2Ø1-B1	SERVICE PROVIDER ID	Same value as in request	М	
4Ø1-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Billing Accepted/Rejected If Situational, Paver Situation		
This Segment is always sent		ii oitaatoriai, i ayor oitaatori		
This Segment is situational	X	ISDH will return information that is relevant to the claim.		

	Response Message Segment Segment Identification (111-AM) = "2Ø"			Claim Billing Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
5Ø4-F4	MESSAGE		RW	Imp Guide: Required if text is needed for clarification or detail.
				Payer Requirement: ISDH will return information that is relevant to the claim.

Response Status Segment Questions	Check	Claim Billing Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer	Payer Situation
			Usage	
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
5Ø3-F3	AUTHORIZATION NUMBER		RW	Imp Guide: Required if needed to identify the transaction.
				Payer Requirement: ISDH will return the System assigned Claim Number for this claim.
51Ø-FA	REJECT COUNT	Maximum count of 5.	R	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	Imp Guide: Required if a repeating field is in error, to identify repeating field occurrence.
549-7F	HELP DESK PHONE NUMBER QUALIFIER	Ø3 = Processor/PBM	RW	Payer Requirement: Will be returned. Imp Guide: Required if Help Desk Phone Number (55Ø-8F) is used. Payer Requirement: Will be returned.
55Ø-8F	HELP DESK PHONE NUMBER	8ØØ4751355	RW	Imp Guide: Required if needed to provide a support telephone number to the receiver. Payer Requirement: Will be returned.

Response Claim Segment Questions	Check	Claim Billing Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Billing Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = Rx Billing	М	
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		М	

Response Coordination of Benefits/Other	Check	Claim Billing Accepted/Rejected
		If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	If ISDH is unable to adjudicate the claim because the patient has Other Insurance and Coordination of Benefits/Other Payers Segment that was not submitted with the claim <i>or</i> the number of Other Payer segments does not match the number of other payers on record.

	Response Coordination of Benefits/Other Payers Segment Segment Identification (111-AM) = "28"			Claim Billing Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
355-NT	OTHER PAYER ID COUNT	Maximum count of 3.	M	
338-5C	OTHER PAYER COVERAGE TYPE	All values supported	М	
356-NU	OTHER PAYER CARDHOLDER ID		RW	Imp Guide: Required if other insurance information is available for coordination of benefits. Payer Requirement: ISDH will return any Cardholder information that we have on file.
992-MJ	OTHER PAYER GROUP ID		RW	Imp Guide: Required if other insurance information is available for coordination of benefits. Payer Requirement: ISDH will return any Group# information that we have on file.

2.2.3 CLAIM BILLING REJECTED/REJECTED RESPONSE

CLAIM BILLING REJECTED/REJECTED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Billing Rejected/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Billing Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer	Payer Situation
			Usage	
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B1	M	
1Ø9-A9	TRANSACTION COUNT	Same value as in request	М	
5Ø1-F1	HEADER RESPONSE STATUS	R = Rejected	М	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	М	
2Ø1-B1	SERVICE PROVIDER ID	Same value as in request	М	
4Ø1-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Billing Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	ISDH will return information that is relevant to the claim.

	Response Message Segment Segment Identification (111-AM) = "2Ø"			Claim Billing Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
5Ø4-F4	MESSAGE		RW	Imp Guide: Required if text is needed for clarification or detail.
				Payer Requirement: ISDH will return information that is relevant to the claim.

Response Status Segment Questions	Check	Claim Billing Rejected/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
5Ø3-F3	AUTHORIZATION NUMBER		RW	Imp Guide: Required if needed to identify the transaction.
				Payer Requirement: Will be returned.
51Ø-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
549-7F	HELP DESK PHONE NUMBER QUALIFIER	Ø3 = Processor/PBM	RW	Imp Guide: Required if Help Desk Phone Number (55Ø-8F) is used.
				Payer Requirement: Will be returned.
55Ø-8F	HELP DESK PHONE NUMBER	8ØØ4751355	RW	Imp Guide: Required if needed to provide a support telephone number to the receiver.
				Payer Requirement: Will be returned.

** End of Response Claim Billing (B1) Payer Sheet Template **

3. NCPDP VERSION D.Ø CLAIM REVERSAL TEMPLATE

3.1 REQUEST CLAIM REVERSAL PAYER SHEET TEMPLATE

** Start of Request Claim Reversal (B2) Payer Sheet Template **

GENERAL INFORMATION

Payer Name: ISDH	Date: 12/31/2Ø1Ø	
Plan Name/Group Name: ISDH-ØØ1 CSHCS: Children's Special	BIN: 6361Ø4	PCN: ISDH-ØØ1 (production)
Health Care Services		ISDH-T (testing)

FIELD LEGEND FOR COLUMNS

Payer Usage Column	Value	Explanation	Payer Situation Column
MANDATORY	М	The Field is mandatory for the Segment in the designated Transaction.	No
REQUIRED	R	The Field has been designated with the situation of "Required" for the Segment in the designated Transaction.	No
QUALIFIED REQUIREMENT	RW	"Required when". The situations designated have qualifications for usage ("Required if x", "Not required if y").	Yes

Question	Answer
What is your reversal window? (If transaction is billed today	2 Business Days
what is the timeframe for reversal to be submitted?)	-

CLAIM REVERSAL TRANSACTION

The following lists the segments and fields in a Claim Reversal Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.Ø.*

Check	Claim Reversal
	If Situational, Payer Situation
X	
X	Assigned by ISDH
	Contact EDI Department @
	1-8ØØ-475-1355 opt. #5, then opt. #1
	X

	Transaction Header Segment			Claim Reversal
Field #	NCPDP Field Name	Value	Payer	Payer Situation
			Usage	
1Ø1-A1	BIN NUMBER	6361Ø4	М	BIN for ISDH
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	М	
1Ø3-A3	TRANSACTION CODE	B2	М	Claim Reversal
1Ø4-A4	PROCESSOR CONTROL NUMBER	ISDH-T (Testing)	М	Assigned by Indiana Department of Health.
		ISDH-ØØ1 (CSHCS Production)		Different Processor Control Numbers are used for Testing and Production.
1Ø9-A9	TRANSACTION COUNT	1	М	Valid values are '1' through '4'.
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Ø1 = National Provider ID	М	
2Ø1-B1	SERVICE PROVIDER ID		М	National Provider Identifier (NPI)
4Ø1-D1	DATE OF SERVICE		М	
11Ø-AK	SOFTWARE VENDOR/CERTIFICATION ID	Assigned by ISDH	М	Contact EDI Department @ 1-8ØØ-475-1355 opt. #5, then opt. #1

Insurance Segment Questions	Check	Claim Reversal
		If Situational, Payer Situation
This Segment is always sent	X	
This Segment is situational		

	Insurance Segment Segment Identification (111-AM) = "Ø4"			Claim Reversal
Field #	NCPDP Field Name	Value	Payer	Payer Situation
			Usage	
3Ø2-C2	CARDHOLDER ID	6-digit Patient ID number	M	Member's ID as shown on card.
		assigned by ISDH Program		

Claim Segment Questions	Check	Claim Reversal If Situational, Payer Situation
This Segment is always sent	X	

	Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Reversal
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1=Rx Billing	М	CSHCS only accepts Rx billing in Real- Time transactions. Supplies (DME claims) must be submitted on an 837.
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		М	
436-E1	PRODUCT/SERVICE ID QUALIFIER	ØØ = Compound Ø3 = National Drug Code (NDC)	М	
4Ø7-D7	PRODUCT/SERVICE ID		М	Enter the 11-digit National Drug Code (NDC) for the drug dispensed; for Compound, this field should be a single digit '0'.

** End of Request Claim Reversal (B2) Payer Sheet Template **

3.2 RESPONSE CLAIM REVERSAL PAYER SHEET TEMPLATE

3.2.1 CLAIM REVERSAL ACCEPTED/APPROVED RESPONSE

** Start of Claim Reversal Response (B2) Payer Sheet Template **

GENERAL INFORMATION

Payer Name: ISDH	Date: 12/31/2Ø1Ø		
Plan Name/Group Name: ISDH-ØØ1 CSHCS: Children's Special	BIN: 6361Ø4	PCN: ISDH-ØØ1 (production)	
Health Care Services		ISDH-T (testing)	

CLAIM REVERSAL ACCEPTED/APPROVED RESPONSE

The following lists the segments and fields in a Claim Reversal response (Approved) Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.Ø.*

Response Transaction Header Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, Payer Situation
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Reversal – Accepted/Approved
Field #	NCPDP Field Name	Value	Payer	Payer Situation
			Usage	
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B2	М	
1Ø9-A9	TRANSACTION COUNT	Same value as in request	М	
5Ø1-F1	HEADER RESPONSE STATUS	A = Accepted	М	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	М	
2Ø1-B1	SERVICE PROVIDER ID	Same value as in request	М	
4Ø1-D1	DATE OF SERVICE	Same value as in request	М	

Response Message Header Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, Payer Situation	
This Segment is always sent			
This Segment is situational	X	ISDH will return information that is relevant to the claim.	

	Response Message Segment Segment Identification (111-AM) = "2Ø"			Claim Reversal – Accepted/Approved
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
5Ø4-F4	MESSAGE		RW	Imp Guide: Required if text is needed for clarification or detail. Payer Requirement: ISDH will return
				information that is relevant to the claim.

Response Status Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, Payer Situation
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Reversal – Accepted/Approved
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	A = Approved	М	
5Ø3-F3	AUTHORIZATION NUMBER		R	Imp Guide: Required if needed to identify the transaction. Payer Requirement: ISDH will return the System assigned Claim Number for this claim.
549-7F	HELP DESK PHONE NUMBER QUALIFIER	Ø3 = Processor/PBM	RW	Imp Guide: Required if Help Desk Phone Number (55Ø-8F) is used. Payer Requirement: Will be returned.

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Reversal – Accepted/Approved
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
55Ø-8F	HELP DESK PHONE NUMBER	8ØØ4751355	RW	Imp Guide: Required if needed to provide a support telephone number to the receiver. Payer Requirement: Will be returned.

Response Claim Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, Payer Situation
This Segment is always sent	Х	

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Reversal – Accepted/Approved
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = Rx Billing	M	
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		М	

3.2.2 CLAIM REVERSAL ACCEPTED/REJECTED RESPONSE

CLAIM REVERSAL ACCEPTED/REJECTED RESPONSE

_	OEXIIII REVEROAL AGGET TEDAREGE TROP ARGE						
	Response Transaction Header Segment Questions	Check	Claim Reversal - Accepted/Rejected If Situational, Paver Situation				
F	This Segment is always sent	Х					

	Response Transaction Header Segment			Claim Reversal - Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer	Payer Situation
			Usage	
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	М	
1Ø3-A3	TRANSACTION CODE	B2	М	
1Ø9-A9	TRANSACTION COUNT	Same value as in request	М	
5Ø1-F1	HEADER RESPONSE STATUS	A = Accepted	М	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
2Ø1-B1	SERVICE PROVIDER ID	Same value as in request	М	
4Ø1-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Reversal - Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	ISDH will return information that is relevant to the claim.

	Response Message Segment Segment Identification (111-AM) = "2Ø"			Claim Reversal – Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
5Ø4-F4	MESSAGE		RW	Imp Guide: Required if text is needed for clarification or detail. Payer Requirement: ISDH will return information that is relevant to the claim.

Response Status Segment Questions	Check	Claim Reversal - Accepted/Rejected
		If Situational, Payer Situation
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Reversal – Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
5Ø3-F3	AUTHORIZATION NUMBER		R	
51Ø-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
549-7F	HELP DESK PHONE NUMBER QUALIFIER	Ø3 = Processor/PBM	RW	Imp Guide: Required if Help Desk Phone Number (55Ø-8F) is used. Payer Requirement: Will be returned.
55Ø-8F	HELP DESK PHONE NUMBER	8ØØ4751355	RW	Imp Guide: Required if needed to provide a support telephone number to the receiver. Payer Requirement: Will be returned.

Response Claim Segment Questions	Check	Claim Reversal - Accepted/Rejected If Situational, Payer Situation				
This Segment is always sent	Χ					

	Response Claim Segment			Claim Reversal – Accepted/Rejected
	Segment Identification (111-AM) = "22"			
Field #	NCPDP Field Name	Value	Payer	Payer Situation
			Usage	
455-EM	PRESCRIPTION/SERVICE REFERENCE	1 = Rx Billing	M	
	NUMBER QUALIFIER	3		
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE		M	
	NUMBER			

Page 21

3.2.3 CLAIM REVERSAL REJECTED/REJECTED RESPONSE

CLAIM REVERSAL REJECTED/REJECTED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Reversal - Rejected/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Reversal – Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer	Payer Situation
			Usage	
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	М	
1Ø3-A3	TRANSACTION CODE	B2	М	
1Ø9-A9	TRANSACTION COUNT	Same value as in request	М	
5Ø1-F1	HEADER RESPONSE STATUS	R = Rejected	M	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	М	
2Ø1-B1	SERVICE PROVIDER ID	Same value as in request	М	
4Ø1-D1	DATE OF SERVICE	Same value as in request	М	

Response Status Segment Questions	Check	Claim Reversal - Rejected/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Reversal – Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	М	
5Ø3-F3	AUTHORIZATION NUMBER		R	
51Ø-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
549-7F	HELP DESK PHONE NUMBER QUALIFIER	Ø3 = Processor/PBM	RW	Imp Guide: Required if Help Desk Phone Number (55Ø-8F) is used.
				Payer Requirement: Will be returned.
55Ø-8F	HELP DESK PHONE NUMBER	8ØØ4751355	RW	Imp Guide: Required if needed to provide a support telephone number to the receiver.
				Payer Requirement: Will be returned.

** End of Claim Reversal (B2) Response Payer Sheet Template **